

T1S — R5E. 2nd Mer.

	145		145		145		145		146		146	
152	6	170	5	169	4	161	3	171	2	162	1	151
	168		170		169		171		164=165		164	
152	7	168	8	169	9	160	10	164	11	162	12	151
	167		168		166=167		166=167		163		163	
152	18	167	17	166	16	160	15	163	14	162	13	151
	165		166=167		160=165		161=165		161=162		161	
151	19	165	20	160	21	159	22	159	23	158	24	151
	157		157=165		158=160		158=159		158=159		158	
151	30	157	29	157=171	28	155	27	154	26	154	25	149
	156		156=157		155=156		155		153=154		153	
151	31	156	32	155	33	154	34	153	35	153	36	149
	147	148	147=148	147=148	147=148	147=148	147=148	147=149	147=149	147=149	147=149	

T2S — R5E. 2nd Mer.

	173	173	174	174	174	177						
182	6	210-211	5	210-211	4	209-212	3	212	2	425	1	176
	208	208-210	208-209	209-212	425	426	425					
181	7	207	8	206	9	206	10	205-212	11	204-425	12	176
	202	203-207	203-206	203-205	204-205	204						
181	18	202	17	201	16	200	15	200	14	199	13	176
	197	197-202	198-201	198-200	198-199	198						
180	19	196	20	196	21	195	22	195	23	194	24	175
	192	192-196	193-195	193-195	193-194	194						
179	30	190	29	190	28	188	27	187	26	186	25	175
	191	191	189	188	186	185						
179	31	190	32	189	33	187	34	186	35	185	36	175
	184	184	184	183	183	183	182					

Township No. 1. S. R. No. 5. E. 2^d Mer
Indiana

East	Base line continued
40.00	Let 1/2 mile post from which a B. Oak 15 ins. dia. bears N 1/4 W 10 lbs. & a B. Oak 4 ins. dia. bears N 86 E 6 lbs
80.00	Let post cor. to Sec. (No. 31 & 32. T. 1. S. R. 5. E. from which a Mulberry 7 ins. dia. bears N 68 E 19 lbs. Van Elm 8 ins dia. bears N 20 E 10 lbs. Land the same quality. Timber Oak, & Hickory with W. G. interspersed with Pines
East	Base line continued
50.30	a Brook 10 lbs. wide course North
40.00	Let 1/2 mile post, from which a B. Oak 7 ins. dia. bears N 72 W 10 lbs. & a B. Oak 6 ins. dia. bears N 89 E 12 1/2 lbs.
80.00	Let post cor. of Sec. (No. 32 & 33. T. 1. S. R. 5. E. from which a chestnut Oak 10 ins. dia. bears N 83 W 25 lbs. & a Do. 20 ins. dia. bears N 30 E 26 lbs. — Very brushy, broken, thin soil. Oak timber in places.
East	Base line continued
40.00	Let 1/2 mile post, from which a B. Walnut 6 ins. dia. bears N 33 W 7 lbs. & a W. Oak 6 ins. dia. bears N 64 E 15 lbs
62.08	a Beech 29 ins. dia
80.00	Let post cor. of Sec. (No. 33 & 34. T. 1. S. R. 5. E. from which a Sugar tree 10 ins. dia. bears N 72 W 43 lbs. & a Poplar 6 ins. dia. bears N 44 E 36 lbs. Land the same, this post stands on the E. side of a brook 50 lbs. wide course S.
East	Base line continued
40.00	Let 1/2 mile post from which a Beech 7 ins. dia. bears N 48 W 13 lbs. & a Poplar 10 ins. dia. bears N 74 E 18 lbs.
80.00	Let post cor. for Sec. (No. 34 & 35. T. 1. S. R. 5. E. from which a B. Oak 10 ins. dia. bears N 57 E 3 lbs. & a Dog wood 5 ins. dia. bears N 8 E 20 lbs. very hilly broken thin soil, Timber Oak.

T. A. S. R. 5. E. of Mer. Ind.

East	Base line continued,
40.00	Set 1/2 mile post from which a Hickory 5 ins. dia. bears N 89 W 35 lbs. 9 a W. Oak 4 ins. dia. bears N 61 E 17 lbs.
70.60	Chesnut 20 ins. dia
80.00	Set post cor. of S. P. (No. 35 & 36. P. 1. N. R. 5. E., from which a Gum 8 ins. dia. bears N 45 W 19 lbs. 4 a B. Oak 15 ins. dia. bears N 56 E 14 lbs. — Land the same, very hilly, Limber Oak.
East	Base line continued
16.50	Brook 50 lbs. wide course South
31.10	B. Oak 20 ins. dia
40.00	Set 1/2 mile post from which a B. Oak 8 ins. dia. bears N 10 E 11 lbs. 4 a B. Oak 5 ins. dia. bears N 42 E 22 lbs.
80.00	Set post corner of Towns 1 North & 1 South in Ranges 5 & 6 East, from which a W. Oak 10 ins. dia. bears N 63 E 11 lbs. 4 a B. Oak 5 ins. dia. bears N 63 W 11 lbs. Hilly, brushy soil, Limber Oak & Oak —
	Arthur H. Hines, R. Sur. July 16 th 1808.
	Travelled to the North West corner of Township No. 2 South Range No. 5 East & run true line East between Townships No. 2 South & Township No. 1 South of Range No. 5 East.
East	
7.50	a Hickory 21 ins. dia. in the line
40.00	Set 1/2 mile post from which a B. Oak 30 ins. dia. bears N 10 E 6 lbs. Vanotter B. Oak 25 ins. dia. bears N 10 W 13 lbs. This 1/2 mile over good 2 ^d rate land, Limber, B. Oak, W. Oak, Spice W. G &c
51.75	Intersected Indian or Northern boundary of Township No. 2 South & Township No. 1 South of Range No. 5 East from which a Sugar tree 8 ins. dia. bears S 24 W 14 lbs. 4 an Ironwood 8 ins.

T. 1. S. R. 5. E. of Mer. Ind.

div. bears N 50 E 18 lbs. Gov 1st rate land,
 Timber Oak, Sugar tree &

Surveyed by
 James Heaton for
 Aaron Dayton
 Deputy Surveyor

Nest	On Random between Town 1 & 2 S, Range 5 E 2 ^d Mer.
40.00	Set temp ^y . q. Sec. post
80.00	Set temp ^y . Mile post, this mile over midling farming soil Poplar & Chestnut timber
Nest	On Random between Town 1 & 2 S, Range 5 E, 2 ^d Mer.
40.00	Set temp ^y . q. Sec. post
50.00	a Brook 50 lbs. wide Cr. South
80.00	Set temp ^y . Mile post. This mile over good farming Beech timber land.
Nest	On Random between Town 1 & 2 S, Range 5 E, 2 ^d Mer.
20.75	a Brook 25 lbs. wide Cr. S.
40.00	Set temp ^y . q. Sec. post
66.00	a Brook 5 lbs. wide Cr. S W.
80.00	Set temp ^y . Mile post. Land &c. the same quality
Nest	4 th Mile On Random between Town 1 & 2 S, Range 5 E, 2 ^d Mer.
38.75	a Brook 25 lbs. wide Course South
40.00	Set temp ^y . q. Sec. post
80.00	Set temp ^y . Mile post. Land &c. same quality
Nest	5 th Mile On Random between Town 1 & 2 S, R 5 E, 2 ^d Mer.
40.00	Set temp ^y . q. Sec. post
80.00	Set temp ^y . Mile post. Land &c. same quality
Nest	6 th Mile between Town 1 & 2 S, R 5 E, on Random
31.50	a Brook 50 lbs. wide Cr. S.
40.00	Set temp ^y . q. Sec. post

T^hS R⁵ E. 2^d Mer. Indiana

86.35	Intersected the N ^h S. line 7.31 lks. N. of the town Corner. Land for the same. August 23 ^d . 1806
East 1 st Mile on true line between Towns 14 th S. Range 5 E. 2 ^d Mer.	
46.35	Set the g. Sec. post at ang ^d . dist. on true line, from which a Sugar 5 in. dia. bears N 46 ^o W 22 lks. dist of a Beech 10 " " " S 51 ^o W 18 " "
86.35	Set a post Cor. to Sec ^s . 31 & 32, T ^h S. R ⁵ E, from which a B. Walnut 8 in. dia. bears S 30 ^o W 3 1/2 lks. dist of a Red Bud 5 " " " N 16 ^o W 22 1/2 " "
East 2 ^d Mile on true line between Towns 14 th S. R ⁵ E. 2 ^d Mer.	
40.00	Set the g. Sec. post, from which a Beech 10 in. dia. bears N 32 ^o W 14 lks. dist of a do 8 " " " S 17 ^o W 14 1/2 " "
80.00	Set a post Cor. to Sec ^s . 32 & 33, T ^h S. R ⁵ E, from which a dogwood 6 in. dia. bears N 53 ^o E 5 lks. dist of a W. Oak 20 " " " S 22 ^o E 25 1/2 " "
East 3 ^d Mile On true line between Towns 14 th S. R ⁵ E.	
40.00	Set the g. Sec. post, from which a Beech 10 in. dia. bears S 59 ^o E 12 lks. dist. of a Sugar 12 " " " S 44 ^o W 10 " "
80.00	Set a post Cor. to Sec ^s . 33 & 34, T ^h S. R ⁵ E, from which a Beech 20 in. dia. bears N 76 ^o E 11 lks. dist. of a do 15 " " " S 41 ^o W 21 1/2 " "
	September 14 th . 1806.
East 4 th Mile On true line between Towns 14 th S. R ⁵ E. 2 ^d Mer.	
40.00	Set the g. Sec. post, from which a W. Oak 40 in. dia. bears S 58 ^o E 29 lks. dist. of a dogwood 6 " " " N 69 ^o W 13 " "
80.00	Set a post Cor. to Sec ^s . 34 & 35, from which a Beech 20 in. dia. bears S 48 ^o E 16 lks. dist. of a do 10 " " " N 48 ^o W 14 " "

Twp R5E. 2^d Mer Indiana

East 5th Mile on true line between Towns 1 & 2 S. Range 5 E.
 40.00 Set the g. Sec. post, from which a
 Beech 29 m. dia. bears N 85 E 24 p. lks. dist. of a
 Dogwood 6 " " " S 84 W 12 " "
 80.00 Set a post Cor. to Sec. 35 & 36, from which a
 Elm 15 m. dia. bears S 55 E 3 p. lks. dist. of a
 Dogwood 6 " " " N 76 W 18 " "

East 6th Mile on true line betw. Towns 1 & 2 S. R5E. 2^d Mer.
 40.00 Set the g. Sec. post, from which a
 Beech 10 m. dia. bears N 23 W 9 p. lks. dist. of a
 Poplar 20 " " " S 23 E 12 p. " "
 80.00 Town Corner. Sept. 15, 1806.

East Boundary

North Between Towns 1 South Range 5 & 6 East 2^d Mer.
 7.60 a P. Oak 20 m. dia.
 40.00 Set the g. Sec. post, from which a
 P. Oak 4 m. dia. bears N 3 E 13 lks. dist. of a
 Hickory 5 " " " S 2 E 15 " "
 80.00 Set a post Cor. to Sec. 25 & 36, T1 S. R5 E, from which
 a P. Oak 5 m. dia. bears S 9 W 8 lks. dist. of a
 Chestnut 6 " " " N 81 E 11 " " this mile
 very thin & Broken Soil. Aug. 20th 1806.

North 2^d Mile between Towns 1 S. Range 5 & 6 E.

21.25 a P. Oak 25 m. dia.

40.00 Set the g. Sec. post, from which a
 Dogwood 7 m. dia. bears S 6 E 28 lks. dist. of a
 Do 5 " " " N 17 E 21 " "

40.50 a P. Oak 29 m. dia.

80.00 Set a post Cor. to Sec. 24 & 25, T1 S. R5 E, from which a
 Hickory 10 m. dia. bears N 63 E 14 lks. dist. of a
 Poplar 6 " " " S 19 W 5 " "
 This mile over very broken Oak & Hickory timber Soil

MS. R. N. 5 E. 2^d Mer.

North 3^d Mile Between Towns 1st, Ranges 5 & 6 E
 40.00 Set the q. Sec. post, from which a
 B. Oak 12 in. dia. bears S 1 E 16 lks. dist. of a
 W. Oak 6 " " " S 76 E 3 " "
 80.00 Set a post corner to Sec. 13 & 24, from which a
 B. Oak 7 in. dia. bears S 18 E 13 lks. dist. of a
 Chestnut 8 " " " N 38 W 11 " "
 This mile over very hilly brushy Soil, timber
 Principally Oak.

North 4th Mile between Towns 1st, Ranges 5 & 6 E, 2^d Mer.
 9.50 a Brook 10 lks. wide Cr. S. W.
 40.00 Set 1/4 Sec. post, from which a
 B. Oak 10 in. dia. bears S 10 E 6 lks. dist. of a
 Chestnut 5 " " " S 88 W 9 " "
 80.00 Set a post cor. to Sec. 12 & 13, T. 1 S. R. 5 E, from which a
 Beech 10 in. dia. bears S 68 W 43 lks. dist. of a
 W. Oak 15 " " " S 68 E 46 " "
 Land the same very high trees.

North 5th Mile betw. Towns 1st, Ranges 5 & 6 E.
 1.50 a Brook 20 lks. wide Cr. S. E.
 34.35 a do 10 lks. " " N E.
 40.00 Set the q. Sec. post, from which a
 Poplar 5 in. dia. bears S 15 W 11 lks. dist. of a
 B. Oak 8 " " " N 47 W 25 " "
 80.00 Set a post cor. to Sec. 1 & 12 T. 1 S. R. 5 E, from which a
 Beech 12 in. dia. bears N 66 W 26 lks. dist. of a
 do 24 " " " S 37 E 5 " "
 This mile over middling farming land, timb. Beech
 and Oak.

North 6th Mile betw. Towns 1st, Ranges 5 & 6 E.
 20.00 a Brook 28 lks. wide Course E.
 40.00 Set the q. Sec. post, from which a
 Beech 20 in. dia. bears S 30 W 22 lks. dist. of a

T.S. N5E. 2nd Mer. Indiana

151

130.00 a Beech 10 in. dia. bears N54W 32 lks. dist.
 137.50 a Brook 20 lks. wide Cr. West
 137.50 W. Oak 10 in. dia. on the Base line
 . Very hilly thin soil.

West Boundary

North 1st Mile between Towns N. Ranges 4 & 5 East
 17.31 Indian boundary

40.00 Set the q. Sec. post, from which a
 W. Oak 10 in. dia. bears S65W 10 lks. dist. & a
 Poplar 18 " " " N44E 14 " "

77.25 an Elm 10 in. dia.

80.00 Set a post Cor. to Sec. 25 & 36, T. 16. R. 4 E., from which
 a B. Walnut 5 in. dia. bears N63E, 6 lks. dist. & a
 Mulberry 10 " " " N42W 16 " "
 Good farming Oak timbered Soil.

North 2nd Mile between Towns N. Ranges 4 & 5 East

40.00 Set the q. Sec. post, from which a
 B. Oak 20 in. dia. bears N75W 23 lks. dist. & a
 Poplar 20 " " " S75E 15 " "

80.00 Set a post Cor. to Sec. 24 & 25, T. 16. R. 4 E., from which a
 B. Oak 8 in. dia. bears N89W 12 lks. dist. & a
 do 18 " " " N84E 35 " "

This mile over brushy thin Oak & Hickory tim-
 bered Soil.

North 3rd Mile between Towns N. Ranges 4 & 5 E

0.75 a B. Oak 10 in dia.

40.00 Set the q. Sec. post, from which a
 B. Oak 20 in. dia. bears N75W 23 lks. dist. &
 a do 20 " " " S33E 27 " "

59.08 a W. Oak 15 in. dia.

68.00 a Brook 15 lks. wide Cr. South

80.00 a Set a post Cor. to Sec. 13 & 24, ^{T. 16. R. 4 E.} from which a
 Poplar 20 in. dia. bears S10E 20 1/2 lks. dist. & a

S. L. R. 5 E. 2^d. Mer. Indiana

P. Oak 12 mi. dist. bear N 40 E 14 lks. dist.
This mile over very bushy thin Soil.

North 4th mile between Towns 1 S. Range 4 & 5 E
1.80 Hickory 10 mi. dist.
40.00 Set the q. Sec. post, from which a
W. Oak 20 mi. dist. bear S 17 W 62 lks. dist. & a
Hickory 3 " " " N 57 E 7 " "
71.00 a Brook 10 lks. wide Course S.
80.00 Set a post Cor. to Sect. 12 & 13, T. 1 S. R. 4 E, from
which a W. Oak 15 mi. dist. bear S 44 E 28 lks. dist
of a Hickory 10 " " " N 21 W 10 " "
This mile over middling farming Oak and
Hickory timbered land.

North 5th mile between Towns 1 S. Range 4 & 5 E.
21.00 a Brook 12 lks. wide C. S. W.
40.00 Set the q. Sec. post, from which a
Hogwood 5 mi. dist. bear S 17 E 29 lks. dist. & a
do 4 " " " N 45 W 10 " "
53.13 a Gum 10 mi. dist.
80.00 Set a post Cor. to Sect. 1 & 12, T. 1 S. R. 4 E, from which a
Poplar 8 mi. dist. bear S 6 E 19 lks. dist. & a
W. Oak 12 " " " S 58 E 11 " "
Land timbered with Oak, underg^d. Sassafras & Hogwood

North 6th mile between Towns 1 S. Range 4 & 5 East
21.40 W. Oak 30 mi. dist.
27.50 a Brook 10 lks. wide C. S. West
40.00 Set the q. Sec. post, from which a
Hickory 8 mi. dist. bear N 24 E 13 lks. dist. & an
elm 13 " " " S 80 W 27 " "
129.16 Set a post on Base line ^{7.88 lks. W. of cor. to T. 1 S. R. 4 E} N. E. Cor. T. 1 S. R. 4 E, from which
a Hickory 12 mi. dist. bear N 18 W 22 lks. dist. & a
Beech 20 " " " S 15 E 13 " "
This line over very bushy thin timbered Soil
Surveyed by Arthur Annie, D. S.

N. 1. S. R. 5. E of Mer. Ind.

North	<p>Sept. 25th 1806 Beginning at the base line L of Sec. No. 35 & 36 & run North - N. 1. S. R. 5. E</p> <p>R. 5. E - N. 1. S</p>
	<p>Friday Sept. 26. 1806 Begin at L of Sec. (No. 35 & 36) & run North</p>
17.21	Gum 10 1/2 ins. dia
40.00	<p>Set 1/4 sec. post where a Chestnut 10 ins. dia. bears S 52 W 9 lbs. & Oak</p>
54.44	Gum 1 1/2 ins. dia
80.00	<p>Set post where a Gum 1 1/2 ins. dia. bears N 76 E 1 1/2 lbs. & a W. Oak 1 1/2 ins. dia. bears S 53 W 3 1/2 lbs.</p> <p>Land of this mile hilly rough, good soil & brushy</p>
East	Random between Sec. No. 25 & 36
40.00	Set temporary 1/4 sec. post
81.00	<p>To North & South line fell 150 lbs. South of post</p> <p>Land hilly & brushy</p>
West	Correct
40.50	<p>Move 1/4 post average distance where a Dogwood 8 ins. dia. bears S 59 W 30 lbs. & a B. Oak 3 ins. dia. bears S 30 E 35 lbs.</p>
81.00	<p>To post</p> <p>Saturday Oct 6th 1806.</p>
North	Between Sec. (No. 34 & 35)
11.50	To Beech 1 1/2 ins. dia
40.00	<p>Set 1/4 sec. post where an Oak 1 1/2 ins. dia. bears N 57 E 5 lbs. & a Beech 18 ins. dia. bears S 85 E 38 lbs.</p>
75.50	Chestnut 16 ins. dia
80.00	<p>Set post where R. Oak 18 ins. dia. bears N 55 W lbs. & a W. Oak bears S 61 E. - Land good soil</p> <p>Timber Oak, Beech, Sugar tree</p>
East	Random between Sec. (No. 35 & 26)
40.00	Set temporary post

T. 1. S. R. 5. E. of Mer. Ind.

59.50	Run S° 25 Ws. wide
80.42	To North & South line fell North of post 50 lbs Land as last mile
North	Between Sec. No. 25 & 26
8.25	Run S. W.
26.46	To charcut 14 ins. dia. land brushy
40.00	Set 7/8 sec. post where a P. Oak 8 ins. dia. bears S 55 E 7 lbs & a Logwood 5 ins. dia. bears N 88 W 15 lbs
48.76	Poplar 30 ins. dia
80.00	Set post on hill side, where a P. Oak 12 ins. dia bears S 80 W 12 1/2 lbs. & a Hickory 14 ins. dia. bears N 81 E 33 1/2 lbs. Oak land briery & brushy.
West	Correct between Sec. No. 35 & 36
40.21	Moved 7/8 sec. post, average distance where a Beech 14 ins. dia. bears S 38 E 31 lbs. & a Beech 14 ins. dia. bears N 2 E 46 lbs.
North	Between Sec. No. 26 & 27
28.27	a Buck 18 ins. dia
40.00	Set 7/8 sec. post where a W. Oak 8 ins. dia. bears N 82 E 15 lbs. & a P. Oak 8 ins. dia. bears N 53 W 37 1/2 lbs Oak land, brushy, briery &c
53.38	a Poplar 36 ins. dia
80.00	Post where a W. Oak 12 ins. dia. bears S 69 W 12 1/2 lbs. & a Poplar 40 ins. dia. bears N 80 E 37 1/2 lbs. Land of the 1st quality for farming Poplar & Oak timber - W. L. Spin cucumber &c
North	Between Sec. No. 33 & 34
24.47	Buck 18 ins. dia
40.00	Set 7/8 sec. post where a Dogwood 4 ins. dia. bears N 32 W 12 1/2 lbs. & a Do. 4 ins. dia. bears S 24 E 7 lbs
46.07	Gum 18 ins. dia
80.00	post where a P. Oak 26 ins. dia. bears S 60 E 37 lbs.

S. 1. S. R. 5. E. of Mer. Ind.

	<p>va B. Oak 30 ins. dia. bears S 45 W 37 1/2 lbs. Fine farming land, Oak, Poplar Hickory timber W. G. Spruce &c.</p>
<p>East 40.00 80.62</p>	<p>Random between Sec. No. 27 & 34 Set temporary 1/4 Sec. post To North & South line fell 8 1/4 lbs. South of post</p>
<p>West 40.31</p>	<p>Correct Move 1/4 Sec. post average distance where a Dog wood 14 ins. dia. bears S 18 E 26 lbs. va Chestnut 20 ins. dia. bears N 54 W 38 lbs. To post</p>
<p>North 6.00 36.50 40.00 49.50 80.00</p>	<p>Between Sec. No. 32 & 33 Creek E- 20 lbs. wide dry W. Walnut 14 ins. dia Set 1/4 Sec. post where a Dogwood 6 ins. dia. bears N 64 E 12 1/2 lbs. & a Os. bears S 72 W 43 lbs. W. Oak 12 ins. dia Post where a Buck 6 ins. dia. bears N 58 E 12 lbs. & a Sugar tree 12 ins. dia. bears S 53 W- Land 1st rate ascending & descending, Timber Poplar Walnut, Oak Sugar tree &c</p>
<p>East 1.00 62.00 79.92</p>	<p>Random between Sec. No. 28 & 33 Rem. S. E. 10 lbs. wide dry creek 30 lbs. wide S. some water To North & South line fell 26 lbs. North of post Land much as last</p>
<p>North 25.00 31.50 40.00</p>	<p>Between Sec. No. 27 & 28 Poplar 14 ins. dia Creek W. 20 lbs. wide dry Post where a Poplar 16 ins. dia. bears S 56 E 25 lbs. va W. Oak 10 ins. dia. bears S 58 W 46 lbs.</p>

S. I. L. R. S. E. of Mer.

56.89	B. Oak 16 ins. dia
80.00	W. Oak 10 ins. dia. is corner tree. Land much as last, more bottom, Timber Poplar, Oak, Hickory, Mulberry & rolling land.
West	Correct between Sec. No. 28 & 33
39.95	moved $\frac{1}{4}$ sec. point, average distance where a W. Oak 10 ins. dia. bears N 22 W 41 Mos. & a W. Oak 14 ins. dia. bears S 64 E 31 Mos.
	To point
North	Between Sec. No. 31 & 32
11.43	a Sugar tree 12 ins. dia
40.00	Elm 6 ins. dia. corner tree
50.56	W. Oak 30 ins. dia
80.00	Set point where a Mulberry 12 ins. dia. bears S 54 E 43 Mos. & a Poplar 16 ins. dia. bears N 34 W 33 Mos.
	Land rolling 1st quality Timber Oak, Walnut, Poplar, Hickory, Mulberry & Spruce
West	To Range line Sec. No. 30 & 31
17.00	Hickory 12 ins. dia
35.00	Creek ft. 20 Mos. wide
40.00	go. Sec. point, where a W. Walnut 10 ins. dia. bears N 63 E 45 Mos. & a W. Oak 18 ins. dia. bears S 12 W 17 links
48.83	W. Oak 30 ins. dia
85.75	To Range line fell South of point 35 links, where a Gum 30 ins. dia. bears N 53 E 28 Mos. & a B. Oak 18 ins. dia. bears S 41 E 58 Mos. Land more thin & ridgy than last
East	Random between Sec. No. 29 & 32
40.00	Set $\frac{1}{4}$ sec. point
90.00	To North & South line fell on point. Land 1st quality Timber as above.

<p>North</p> <p>1.00</p> <p>1.73</p> <p>40.00</p> <p>45.86</p>	<p>Between Sec. (No. 28 & 29.</p> <p>crack E⁺</p> <p> Hickory 14 ins. dia</p> <p>1/4 sec. post where a W. Oak 18 ins. dia. bears S 73° E 19 lbs. & Dogwood 5 ins. dia. bears N 30° W 15 lbs.</p> <p>W. Oak 14 ins. dia.</p> <p>See last page of this Yearbook for the remainder</p>
<p>West</p> <p>40.00</p>	<p>Corner between Sec. No. 29 & 32</p> <p>Established 1/4 sec. post where a W. Oak 10 ins. dia. bears N 1° E 10 lbs. & a W. Oak 10 ins. dia. bears S 1° E 35 lbs.</p>
<p>North</p> <p>38.14</p> <p>40.00</p> <p>80.00</p>	<p>Between Sec. No. 29 & 30</p> <p>a Poplar 20 ins. dia</p> <p>1/4 sec. post, where a Gum 10 ins. dia. bears N 24° E W 15 lbs. & a Gum 24 ins. dia. bears S 81° E 17 lbs.</p> <p>(This 1/2 mile over ridgy land, sink holes & thin soil timber Oak &c.</p> <p>Set post where a B. Oak 20 ins. dia. bears S 20° W 10 lbs. & a B. Oak 16 ins. dia. bears N 86° E 24 lbs. - This 1/2 mile more brushy than last - Timber Oak, des- troyed by fire</p>
<p>West</p> <p>40.00</p> <p>84.48</p>	<p>Between Sec. No. 19 & 30</p> <p>Set 1/4 sec. post where a B. Oak 14 ins. dia. bears N 85° E 37 lbs. & a B. Oak 16 ins. dia. bears N 76° W 26 lbs.</p> <p>To Range line, fell south of post 1 1/4 lbs. where a B. Oak 18 ins. dia. bears S 23° E 29 lbs. & a B. Oak 16 ins. dia. bears N 22° E 10 lbs. - Land of this mile very brushy, briery, Timber chiefly destroyed by fire.</p>
<p>East</p> <p>40.00</p> <p>79.78</p>	<p>Random between Sec. No. 20 & 29</p> <p>Set temporary 1/4 sec. post, Land as last 1/2 mile</p> <p>To North & South line fell 15 lbs. North of post Good soil. Timber Oak Hickory, &c. Pine, rolling.</p>

H. A. L. R. 5 East. of Allen

East	Random between Sec. Nos. 21 & 28
40.00	Set $\frac{1}{4}$ Sec. post
80.92	To North & South line 37 lbs. North of Post Good rich soil, Timber as last. Tuesday Sept. 29 th 1865.
East	Random between Sec. Nos. 22 & 27
33.50	creek course S. E. 30 lbs. wide
40.00	Set $\frac{1}{4}$ Sec. post
80.00	To the North & South line 11 lbs. South of post 90 lbs. Land good soil 1 st $\frac{1}{2}$ mile back 2 ^d more rolling timber Oak, Hickory, Poplar, Mulberry, Walnut, Spice &c.
East	Random between Sec. Nos. 23 & 26
40.00	Set $\frac{1}{4}$ Sec. post
	Run South 20 lbs. wide
49.50	To North & South line fell 10 lbs. South of post 1 st $\frac{1}{2}$ mile rich land - 2 ^d hilly & brushy, small Oak timber &c.
East	Random between Sec. Nos. 24 & 25.
40.00	Set temporary $\frac{1}{4}$ Sec. post
	Branch S. 10 lbs wide
	Do North
80.86	To Range line fell South of post 161 lbs. - Brushy land, good soil, briars & small sapling timber
West	Correct back
40.45	Moves $\frac{1}{4}$ Sec. post average distance, where a Sassafras 8 ins. dia. bears N 60 E 15 lbs. & a Do. 8 ins. dia. bears N 18 W 6 lbs.
80.86	To Post
North	Between Sec. Nos. 23 & 24.

12.36	a Hickory 10 ins. dia
40.00	Set 1/4 sec. post in a brushy thicket
80.00	Set post where a W. Oak 10 ins. dia. bears N 6 E 16 lbs. & a B. Oak 8 ins. dia. bears S 5 E 75 lbs Land very brushy good soil &c.
West	Correct between Sec. P. No. 23 & 26 Move 1/4 sec. post where a B. Oak 28 ins. dia. bears North 8 lbs. & a Dogwood 6 ins. dia. bears S 38 W 10 lbs Do post
West	Correct between Sec. P. No. 22 & 27. Move 1/4 sec. post where a Dogwood 6 ins. dia. is cor- ner tree Do post
Wednesday Oct. 1 st 1805.	
North	Between Sec. P. No. 22 & 23
1.53	Poplar 30 ins. dia
40.00	Set 1/4 sec. post, where a Dogwood 8 ins. dia. bears S 1 E 18 lbs. & a chestnut 12 ins. dia. bears N 24 W 7 lbs
69.44	a W. Oak 14 ins. dia
80.00	Set post where a B. Walnut 5 ins. dia. bears S 5 W 23 lbs. & a B. Oak 6 ins. dia. bears S 60 E 22 lbs. 1 st 1/2 mile rich land, open woods - last brushy
North	Between Sec. P. No. 21 & 22
30.05	Hickory 10 ins. dia
40.00	1/4 sec. post, where a Dogwood 4 ins. dia. bears S 17 E 16 lbs. & a Do. 8 ins. dia. bears N 27 W 21 lbs
57.65	Oak 28 ins. dia
80.00	Set post where a chestnut 10 ins. dia. bears S 85 W 16 lbs. & a Hickory 10 ins. dia. bears S 78 E 15 1/2 lbs Land level, rich soil, - Timber Oak, Hickory, Poplar &c.

Y. I. S. R. 5. E. of Mr

West	Correct between Sec. No. 21 & 28 Move 74 sec. post, average distance where a Hickory 12 ins. dia. bears N 6 W 7 Mrs. Val Do. 4 ins. dia. bears S 2 E 25 Mrs. 80.12 To the post
North	Between Sec. (No. 20 & 21. Y. I. S. R. 5. E. 29.15 To a W. Oak 12 ins. dia 40.00 Set 74 sec. post where a Dog wood 10 ins. dia. bears S 5 E 21 Mrs. & a Hickory 6 ins. dia. bears N 11 W 21 Mrs. 41.92 To a W. Oak 24 ins. dia 80.00 Set post, where a B. Oak 14 ins. dia. bears N 7 E 14 Mrs. & a Dog wood 10 ins. dia. bears N 7 E W 23 Mrs. Rolling Oak land - Spice Hazel
East	Random between Sec. No. 16 & 21. Y. I. S. R. 5. E. 40.00 Set post 49.45 To N & S line of 60 Mrs. N. of post - Land marks East
North	Between Sec. No. 15 & 16. Y. I. S. R. 5. E. 15.60 To a Poplar 30 ins. dia 40.00 Set 74 sec. post where a S. Wood 6 ins. dia. bears S 70 E 7 Mrs. & a Dog wood 7 ins. dia. bears N 69 W 26 Mrs. 80.00 Set post where a Poplar 12 ins. dia. bears S 58 E 15 Mrs. & a Gum 24 ins. dia. bears S 82 W 35 Mrs.
North	Between Sec. No. 9 & 10 a N 5 E 15.42 To a B. Oak 11 ins. dia 30.00 is a Spring to the East 30 Mrs. 40.00 Set 74 sec. post by side of Spring run W. where a Buck 6 ins. dia. bears N 80 W 8 Mrs. & a Hickory 4 ins. dia. bears N 75 E 22 Mrs. This 1/2 mile trusty, lively and being in the Ponds. 67.82 To a Chestnut 14 ins. dia 80.00 Set post on top of high knob. where a Hickory 6 ins. dia. bears N 8 W 20 Mrs. & a B. Oak 4 ins. dia. bears S 7 E. 13 Mrs.

H. I. S. R. S. E. of Mer. S

North	Between Sec. No. 3 & 4. S. I. S. R. S. E.
34.50	Run N-E. 40 hrs. wide
40.00	$\frac{1}{4}$ post where an Ash 30 ins. dia. bears N 64 W 23 hrs. & a Buck 11 ins. dia. bears S 56 E 53 hrs. Land much as last
57.50	Run East
61.87	Go a W. Oak on side of knob.
125.00	crack S-E. 35 hrs. wide
128.00	Run S. W. 25 hrs. wide
135.60	Go a Poplar 30 ins. dia
139.38	Go Town line fell West of post in bottom L. 98 where a Sugar tree 12 ins. dia. bears S 71 W 19 hrs. & a Sugar tree 15 ins. dia. bears S 61 E 30 hrs. Land most part broken points of knobs Timber Oak &c
Friday Oct. 24. to 180 b.	

East	Random between Sec. No. 22 & 15. S. I. S. R. 4 E
40.00	Set $\frac{1}{4}$ Sec. post
79.27	Go N & S. line, fell S. of post 81 hrs. Land of this good soil Timber Oak, Walnut & Brushy &c

East	Between Sec. No. 14 & 23 Random line
40.00	Set the $\frac{1}{4}$ Sec. post
80.12	Go N & S. line fell 34 hrs. S. of post, - Land more brushy than the last

East	Random to Range line, between Sec. No. 13 & 24
40.00	Set temporary post
81.00	Go Range line fell S. of post 210 hrs. Land 1st $\frac{1}{2}$ mile level thin land, 2 ^d $\frac{1}{2}$ mile hills exceeding steep guts &c

West	Correct between Sec. No. 13 & 24
40.54	Move post at average distance from which a W. Oak 10 ins. dia. bears N 57 W 9 hrs. & a chestnut 4 ins. dia. bears S 68 E 10 hrs.
	Go post

H. A. L. R. S. E. of Mer. Ind.

West	Correct between Sect. No. 14 & 23
40.00	Moved $\frac{1}{4}$ Sec. post, average distance where a B. Oak 6 ins. dia. bears N 55 W 6 Mrs. & a B. Oak 10 ins. dia. bears S 30 E 20 Mrs.
80.10	No post
Saturday 25 th 1807 1806	
North	Between Sect. No. 13 & 14
22.00	Peppler 2 1/2 ins. dia
40.00	Set post where a Persimmon 8 ins. dia. bears S 17 W 5 Mrs. & a Sassafras 6 ins. dia. bears N 18 E 21 Mrs.
56.68	Ash 10 ins. dia
	Post where a B. Oak 10 ins. dia. bears N 22 E 13 Mrs. & a Chestnut 4 ins. dia. bears S 25 E 7 Mrs.
	Land brushy & hilly, Timber Oak &c
North	Between Sect. No. 11 & 12
40.00	Set $\frac{1}{4}$ Sec. post where a Chestnut 12 ins. dia. bears S 33 E 24 Mrs. & an Asp 10 ins. dia. bears N 45 W 25 Mrs.
	Land very brushy & hilly - small Oak, Hickory & Cherry timber
80.00	Set post where a B. Oak 12 ins. dia. bears N 4 W 20 Mrs. & a B. Oak 6 ins. dia. bears S 2 E 26 Mrs.
	Brushy, knobs, briery &c.
North	Between Sect. No. 1 & 2
21.50	Chestnut 12 ins. dia
30.00	To bottom
40.00	Set $\frac{1}{4}$ Sec. post where a Maple 16 ins. dia. bears N 17 E 12 Mrs. & a Beech 16 ins. dia. bears S 68 W 19 Mrs.
	Beech 2 1/2 ins. dia
54.25	Muddy fork of Silver creek N. E. 50 Mrs. wide no water but in holes
71.00	Bottom rich - Timber Walnut, Beech &c
119.00	Beech 28 ins. dia
122.00	To Run S. W. - 25 th Mrs. dry,

N. 1. S. R. 5. E. of Mer. Ind.

144.00	To Town line fell East of post 80 lbs. where a L. Oak 10 ins. dia. bears S 63 W 15 lbs. & a Pin Oak 14 ins. dia. bears S 10 E 65 lbs. - Land steep poor knobs, unfit for cultivation timber L. Oak & c.
East	Random between Sec. No. 12 & 13
15.50	Run N-E. 5 lbs.
40.00	Temporary post
81.00	Run N-E. 20 lbs.
83.00	To North & South line fell 2.00 lbs. South of post Land high rocky hills, unfit for cultivation - timber L. Oak & c.
West	Correct between Sec. (No. 12 & 13. Move $\frac{1}{4}$ Sec. post average distance where a L. Oak 18 ins. dia. bears S 49 E 36 lbs. & a L. Oak 9 ins. dia. bears S 84 W 32 lbs.
Sunday Oct. 26.	
North	Between Sec. (No. 14 & 15
27.37	Hickory 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post where a W. Oak 6 ins. dia. bears S 5 E 9 lbs. & a Hickory 4 ins. dia. bears N 55 W 17 lbs.
56.57	Poplar 18 ins. dia
80.00	Set post where a B. Oak 12 ins. dia. bears N 32 W 25 lbs. & an Elm 4 ins. dia. bears S 44 W 21 lbs. Land good soil, Timber small Oak, hickory, Ash, Poplar - & grape vines, Spice, Passapara & c
East	Random between Sec. (No. 14 & 11
	Set $\frac{1}{4}$ Sec. post
80.00	To North & South line fell 10 lbs. North of post Land poor brushy knobs
West	Correct
40.00	(Move $\frac{1}{4}$ Sec. post average distance where a

H. 1. L. R. 5. E. of Mer. Ind.

	B. Oak 4 ins. dia. bears N 15 W 4 lbs. & a B. Oak 4 ins. dia. bears S 17 W 7 lbs. — To N & S. line
North	Between Sect. Nos. 10 & 11
35.25	a B. Oak 24 ins. dia
40.00	Set 1/4 Sec. post where a B. Oak 12 ins. dia. bears N 35 W 15 lbs. & a B. Oak 6 ins. dia. bears S 37 E 19 lbs. Land poor brushy & steep hills, timber Oak &c.
46.00	Cheroot 24 ins. dia
56.50	Run S-E 20 lbs. wide — dry
80.00	Set post on top of high knob where a B. Oak 12 ins. dia. bears N 36 W 27 lbs. & a B. Oak 5 ins. dia. bears S 46 E 20 lbs. Land poor steep high hills, timber Oak &c.
East	Random between Sect. Nos. 10 & 11
16.00	Run N- 20 lbs. wide — dry
21.00	Run N-W 20 lbs. wide
40.00	Set 1/4 Sec. post
81.50	To North & South line fell 8 lbs. North of post Land as last mile, timber &c.
East	Random to Range line between 14/2. Var. 3.00.00
11.50	Run N. W. 10 lbs. wide dry
24.50	Do N. W 10 " " "
40.00	Temporary 1/4 Sec. post — Land as last
63.25	Run several times last N. W 20 lbs
83.00	To Range line fell 55 lbs. S. of post Land much as last except part bottom
West	Correct between Sect. Nos. 14/2,
	Marked post average distance where a B. Oak 12 ins. dia. bears N 61 E 21 lbs. & a B. Oak 8 ins. dia. bears S 22 W 26 lbs. — On top of knobs.
	To post

T. 1. S. R. 5. E. of Mer. Ind.

West	Correct between Sect. 2 & 11. Moved $\frac{1}{4}$ post, average distance where a B. Oak 18 ins. dia. in corner tree. To post
West	Correct between Sect. No. 15 & 22. Monday 27 th Moved $\frac{1}{4}$ sec. post, average distance where a B. Oak 12 ins. dia. bears N 46 W 15 lbs. & a W. Oak 18 ins. dia. bears S 33 E 30 lbs To post
West	Correct between Sect. No. 16 & 21 39.70 move $\frac{1}{4}$ sec. post, average distance, where a W. Oak 6 ins. dia. bears S 65 W 15 lbs. & a W. Oak 6 ins. dia. bears N 43 E 10 lbs. To post
West	Correct between Sect. (No. 20 & 29 39.87 move $\frac{1}{4}$ sec. post average distance where a B. Oak 26 ins. dia. bears N 33 E - & a B. Oak 26 ins. dia. bears S 38 W - 49.75 To post
North	Between Sect. No. 19 & 20 40.00 Set $\frac{1}{4}$ sec. post where a B. Oak 24 ins. dia. bears N 65 W 34 lbs. & a B. Oak 18 ins. dia. bears N 13 E 125 lbs. Land good soil, timber destroyed by fire 47.35 Spring run W. 3 lbs. wide 57.94 Forked W. Oak 14 ins. dia 80.00 Set post where a W. Oak 24 ins. dia. bears S 29 E. & a B. Oak 18 ins. dia. bears N 4 E 25 lbs. Land as last $\frac{1}{2}$ mile
West	Between Sect. No. 18 & 19. To Range line 28.66 B. Oak 24 ins. dia 40.00 Set $\frac{1}{4}$ sec. post where a W. Oak 12 ins. dia. bears

J. I. L. R. S. E. of Mer. Ind.

46.32	Run S. 10 hrs. wide, dry
66.13	Hickory 12 ins. dia
85.00	Range line, fell North of post 20 1/2 hrs. where a W. Oak 30 ins. dia. bears N 61 E 3 hrs. & a W. Oak 10 ins. dia. bears N 74 W 40 hrs. Land good soil, timber Oak, Hickory, Poplar &c
East	Random between Sect. (No. 17 & 20
46.00	Sect 7 1/4 Sec. post
79.32	To North & South line, fell North of post 19 hrs Land good soil, timber Oak, Hickory, Poplar & open woods
North	Between Sect. (No. 16 & 17.
18.26	B. Oak 12 ins. dia
40.00	Sect 7 1/4 Sec. post where a W. Oak 11 ins. dia. bears N 46 W 58 hrs. & a Dogwood 8 ins. dia. bears N 58 E 2 hrs. Land good soil, Timber Oak, Hickory, & open woods, Poplar
80.00	Bush 18 ins. dia. is corner tree on hill side, This mile most part fine farming land, timber Oak, Poplar Hickory &c. rolling.
East	Random between Sect. (No. 9 & 15
26.00	Run N - W. 40 hrs. wide dry
40.00	Sect temporary 7 1/4 Sec. post
52.00	Run S - W. 10 hrs. dry
81.00	To North & South line fell 7 hrs. South. Land of this mile hilly & rich, Timber Oak Poplar, Hickory &c.
	Tuesday 28 th
East	Random between Sect. (No. 10 & 15.
38.50	Spring run N - E. 10 hrs. wide
40.00	temporary 7 1/4 Sec. post

167

T. 1. S. R. 5. E. P. Mer. Ind.

47.50	Run N-E. 15 lbs. wide water in holes
80.95	To North & South line fell 57 lbs. South. Land thin soil, being steep parts of the timber Oak &c.
West	Correct between Sec. No. 10 & 15 Moved 1/4 sec. post averages distances where a Hickory 4 ins. dia. bears N 40 W 5 lbs. & an Oak 10 ins. dia bears S 38 E 13 lbs.
West	Correct between Sec. No. 9 & 16 40.50 Moved post, averages distances where a Poplar 2 1/2 ins. dia. bears N 69 W 57 lbs. & a Hickory 1 1/2 ins. dia bears S 14 E 26 lbs To post. Wednesday 29 th Oct.
West	Correct Between Sec. No. 17 & 20 Moved 1/4 sec. post. averaged distances where a B. Oak 1 1/2 ins. dia. bears N 75 E 17 lbs. & a W. Oak 12 ins. dia. bears S 22 W 35 lbs. 79.32 To post
North	Between Sec. No. 17 & 18 5.50 Run for W. 10 lbs. wide, water in holes. 19.16 B. Oak 18 ins. dia. 40.00 gr. post where a B. Oak 20 ins. dia. bears S 45 E 14 lbs & a Hickory 8 ins. dia. bears S 37 W 12 lbs. 71.45 Chestnut 18 ins. dia 80.00 Set post where a B. Oak 18 ins. dia. bears S 61 W 1 1/2 lbs. & a B. Oak un bears N 48 E 25 lbs. Land rolling good soil Timber B. Oak, W. Oak chestnut &c
West	To Range line between Sec. No. 7 & 18 23.61 Chestnut 18 ins. dia 46.00 Set 1/4 sec. post, where a B. Oak 30 ins. dia. bears N 19 E 45 lbs. & a Chestnut 18 ins. dia. bears S 37 W 10 lbs.

T. 1. S. R. 5. E. of Mer. Ind.

68.48	R. Oak 14 ins. dia
83.60	To Range line fell South of post 211 lbs. where a Chestnut 14 ins. dia. bears S 64 E 31 lbs. & a Chestnut 16 ins. dia. bears N 14 E 28 lbs. - Good soil rolling land. timber Oak, Hickory, Chestnut & some Beeches
North	Between Sec. 1 No. 7 & 8
27.84	R. Oak 16 ins. dia
40.00	gr. post, where a R. Oak 16 ins. dia. bears N 55 W 42 lbs. & a R. Oak 18 ins. dia. bears S 89 E 48 lbs.
	Land rolling good soil very brushy. timber Oak &c
56.27	R. Oak 16 ins. dia.
80.00	Set post where a R. Oak 20 ins. dia. bears N 63 W 219 lbs. & a Gum 16 ins. dia. bears S 21 E 127 lbs. Brushy thickety scarce any timber
West	To Range line between Sec. 1 No. 6 & 7
18.58	R. Oak 24 ins. dia
32.55	Run S. W. 10 lbs. wide dry.
40.00	Set 1/4 Sec. post where a R. Oak 28 ins. dia. bears N 6 E 50 lbs. & a R. Oak 16 ins. dia. bears S 6 E 27 lbs.
	Land good soil, timber Oak & brushy
47.70	Run S. W. 8 lbs. wide dry
57.00	R. Oak 28 ins. dia.
82.59	Range line fell South of post 315 lbs. where a Poplar 36 ins. dia. bears S 20 E 21 lbs. & a Gum 18 ins. dia. bears N 43 E 48 lbs. Land more ridgy than last.
East	Random between Sec. 1 No. 8 & 17
40.00	Set 1/4 Sec. post
66.00	Is a Run obliquely bear N-E. 10 lbs. wide
78.90	To North & South line fell North of post 75 lbs. Land ridgy & brushy, timber Oak &c
West	Connect between Sec. 1 No. 8 & 17

39.45 Move post where a B. Oak 18 ins. dia bears South 15 lbs. & a B. Oak 14 ins. dia. bears North 25 lbs.
To post
This night 29th the snow fell 5 ins. deep lay by all day

Friday Oct. 31. [#] 180 b.
North Between Sec. No. 8 & 9
5.00 Run E. 20 lbs. wide, water in holes
17.95 Gum 16 ins. dia
38.20 Run E. 20 lbs. wide dry
40.00 Set 1/4 sec. post on steep hill side, where a B. Oak 10 ins. dia. bears S 28 E 41 lbs. & a W. Oak 6 ins. dia. bears N 26 W 50 lbs. Land, poor, steep points timber Oak &c.
54.75 W. Oak 14 ins. dia
72.50 Run E. 10 lbs. wide
80.00 Set post on hill side where a W. Oak 14 ins. dia bears S 78 W 24 lbs. & a W. Oak 11 ins. dia. bears N 62 E 35 lbs. Steep hills, poor land, timber Oak &c.

East Random between Sec. No. 4 & 9.
32.00 a Spring run N-E. 6 lbs. wide
40.00 Temporary q.r. post in Silver creek 30 lbs. wide N-E
80.60 To North & South line fell South of post 25 lbs. Land of this mile poor land, steep points of hills, timber Oak &c. Unfit for cultivation

West Correct between Sec. No. 4 & 9.
Move post averaged distance where a B. Walnut 18 ins. dia. bears S 59 W 32 lbs. & a Sycamore 16 ins. dia bears N 88 E 30 lbs.
To post

Saturday November 1st 180 b.
North Between Sec. No. 4 & 5
16.88 Hickory 15 ins. dia
35.00 Run N-E. 15 lbs. wide

T. A. S. R. S. E. of Mer. Ind.

40.00	Set $\frac{1}{4}$ sec. post where a B. Oak 14 ins. dia. bears S 56 W 40 lbs. & a B. Oak 11 ins. dia. bears N 39 E 22 lbs. Land hilly & brushy scarce of timber
71.27	Chesnut 18 ins. dia
98.50	Run N. E. 10 lbs. wide
121.45	B. Oak 18 ins. dia Run N. E. 10 lbs. wide
139.00	To Town line, fell West of post 5.25 lbs. where a B. Oak 24 ins. dia. bears S 74 E 31 lbs. & a W. Oak 20 ins. dia. bears S 70 W 50 lbs. Land poor steep points of hills, scarce any timber in places Oak &c

West	Random between Sec. No. 5 & 8
33.50	Run S. E. 10 lbs. wide
40.00	Set temporary $\frac{1}{4}$ sec. post on hill side
49.65	Spring run 4 lbs. wide South
75.87	To North & South line fell South of post 100 lbs. Land of this mile hilly brushy, briery vines & Poor.

North	Between Sec. No. 5 & 6
39.50	Run 4 lbs. wide N. W.
40.00	Set $\frac{1}{4}$ post in a hollow where an Elm 28 ins. dia. bears S 71 W 48 lbs. & a W. Oak 16 ins. dia. bears N 35 E 76 lbs. Land good soil, Ridgy & very brushy briery &c
52.22	Ash 24 ins. dia
77.00	Run 15 lbs. wide N. E.
85.00	Poplar 20 ins. dia. by the side of a Run
107.75	Run East, 8
131.66	To Town line fell West of post 392 lbs. where a Hickory 12 ins. dia. bears S 35 W 45 lbs. & Do. 12 ins. dia. bears S 31 E 76 lbs. Land most part good soil, timber - Cooki Hickory Poplar &c. brushy

Correct between Sec. No. 5 & 8
moved post averaged distance where an Elm 10 ins

G. I. L. R. 5. E. of Mer. Ind.

171

78.87	<p>dia. bears N 8 E 10 lbs. & a W. Oak 14 ins. dia. bears N 3 E 16 lbs</p> <p>To post</p> <p>Sunday Nov. 2^d 180 b. lay by being sick</p> <p>Monday 3^d</p>
<p>East</p> <p>40.00</p> <p>78.42</p>	<p>Between Sec. No. 3 & 10</p> <p>Temporary post on top of Ridge - Land brushy ridgy timber B & W Oak</p> <p>To N & S. line fell South of post 17 lbs.</p> <p>Land more hilly & brushy</p>
<p>North</p> <p>20.59</p> <p>40.00</p> <p>64.87</p> <p>82.50</p> <p>83.00</p> <p>85.50</p> <p>114.50</p> <p>115.00</p> <p>139.84</p>	<p>Between Sec. No. 2 & 3</p> <p>B. Oak 14 ins. dia</p> <p>Set 1/4 sec. post on poor hill, where a B. Oak 5 ins. dia. bears S 41 W 6 lbs. & a B. Oak 3 ins. dia. bears N 31 E 9 lbs. Land poor steep knobs timber Oak &c</p> <p>B. Oak 16 ins. dia</p> <p>To creek Bottom - good land.</p> <p>Run 10 lbs. wide East, dry</p> <p>Silver creek 60 lbs. wide East</p> <p>Buck 28 ins. dia</p> <p>creek bottom</p> <p>To Town line fell West of the post 3.60 lbs. where a B. Oak 18 ins. dia. bears S 54 W 3 lbs. & a B. Oak 8 ins. dia. bears S 7 E 12 lbs. - On point of poor knob. timber Oak &c</p>
<p>West</p> <p>78.42</p>	<p>Correct between Sec. No. 3 & 10</p> <p>Moved 1/4 sec. post, averaged distance where a Dogwood 10 ins. dia. bears S 72 W 38 lbs. & a B. Oak 28 ins. dia. bears N 79 E 32 lbs.</p> <p>To post</p>
<p>80.00</p>	<p>Remainder of line between Sec. 28 & 29</p> <p>post where a Hick 4 1/2 in. N 45 W 21 - & a W. Oak 10 ins. N 62 E 33 lbs. 1 1/2 mile as last - 2 1/2 mi not so good</p>

T. 1 S. R. 5 E. of Mer. Ind.

I certify that the foregoing Transcript
of the Field notes of Township No. 1 South
Range No. 5 East of Mer. has been compared
with the original in this office & found
to be correct.

Surveyor General's Office
Cincinnati, Feb. 12. 1841.

E. S. Rains
Lieut. Genl.